
鉄筋コンクリート 街渠ますふた(GC型)



| | 呼び名 | | 寸法(mm) | | | 参考重量 |
|----------|-------|-------|--------|-----|------|------|
| (GC-B-L) | | а | b | t | (kg) | |
| | B300 | L600 | 430 | 360 | 100 | 41 |
| | | L700 | | 410 | | 47 |
| | B350 | L600 | 480 | 360 | | 46 |
| | | L700 | | 410 | | 52 |
| | B400 | L600 | 530 | 360 | | 51 |
| | | L700 | | 410 | | 58 |
| | | L800 | | 460 | | 64 |
| | B500 | L500 | 630 | 310 | | 52 |
| | | L700 | | 410 | | 68 |
| | | L800 | | 460 | | 76 |
| GC | B600 | L600 | 730 | 360 | | 69 |
| | | L800 | | 460 | | 88 |
| | | L900 | | 510 | | 97 |
| | B700 | L700 | 830 | 410 | | 89 |
| | | L900 | | 510 | | 110 |
| | | L1000 | | 560 | | 121 |
| | B800 | L800 | 930 | 460 | | 112 |
| | | L1000 | | 560 | | 135 |
| | B900 | L900 | 1030 | 510 | | 137 |
| | | L1000 | | 560 | | 150 |
| | B1000 | L1000 | 1130 | 560 | | 164 |